

$XYZ_w=858.975, 908.216, 956.28$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2191$$

$$b_2 = -[1/Z_n]^{1/3} = -0.08376$$

$$n = D65$$



### CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$   $Y_d, \text{RECS}$

$G_d, \text{RECS}$   $C_d, \text{RECS}$

$B_d, \text{RECS}$   $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für D65

in Buntheitsdiagramm ( $a^*$ ,  $b^*$ )

$XYZ_w=873.582, 908.569, 725.79$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.218$$

$$b_2 = -[1/Z_n]^{1/3} = -0.09188$$

$$n = D50$$



$XYZ_w=915.75, 908.886, 568.87$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2147$$

$$b_2 = -[1/Z_n]^{1/3} = -0.09964$$

$$n = P40$$



### CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$   $Y_d, \text{RECS}$

$G_d, \text{RECS}$   $C_d, \text{RECS}$

$B_d, \text{RECS}$   $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für P40

in Buntheitsdiagramm ( $a^*, b^*$ )

$XYZ_w=999.329, 909.474, 313.97$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2088$$

$$b_2 = -[1/Z_n]^{1/3} = -0.12161$$

$$n = A00$$



## CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$   $Y_d, \text{RECS}$

$G_d, \text{RECS}$   $C_d, \text{RECS}$

$B_d, \text{RECS}$   $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für A00

in Buntheitsdiagramm ( $a^*$ ,  $b^*$ )

$XYZ_w=904.435, 908.455, 876.56$

$$a^* = 500 (a' - a'_{n0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n0}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2154$$

$$b_2 = -[1/Z_n]^{1/3} = -0.08617$$

$$n = E00$$



### CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$   $Y_d, \text{RECS}$

$G_d, \text{RECS}$   $C_d, \text{RECS}$

$B_d, \text{RECS}$   $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für E00

in Buntheitsdiagramm ( $a^*, b^*$ )

$XYZ_w=885.915, 908.163, 1037.78$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2168$$

$$b_2 = -[1/Z_n]^{1/3} = -0.08149$$

$$n = C00$$



## CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$   $Y_d, \text{RECS}$

$G_d, \text{RECS}$   $C_d, \text{RECS}$

$B_d, \text{RECS}$   $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für C00

in Buntheitsdiagramm ( $a^*, b^*$ )

$XYZ_w=924.802, 908.732, 711.34$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$

$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2139$$

$$b_2 = -[1/Z_n]^{1/3} = -0.09242$$

$$n = P00$$

### CIELAB 76

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für P00

in Buntheitsdiagramm ( $a^*$ ,  $b^*$ )



$XYZ_w=884.055, 908.177, 1041.89$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2169$$

$$b_2 = -[1/Z_n]^{1/3} = -0.08133$$

$$n = Q00$$



## CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$   $Y_d, \text{RECS}$

$G_d, \text{RECS}$   $C_d, \text{RECS}$

$B_d, \text{RECS}$   $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für Q00

in Buntheitsdiagramm ( $a^*, b^*$ )

$XYZ_w=856.262, 907.063, 939.91$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2193$$

$$b_2 = -[1/Z_n]^{1/3} = -0.08416$$

$$n = D65$$



## CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$   $Y_d, \text{RECS}$

$G_d, \text{RECS}$   $C_d, \text{RECS}$

$B_d, \text{RECS}$   $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des *offset*-Farbenraums für D65

in Buntheitsdiagramm ( $a^*, b^*$ )

$XYZ_w=875.822, 907.661, 714.26$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2178$$

$$b_2 = -[1/Z_n]^{1/3} = -0.09229$$

$$n = D50$$



### CIELAB 76

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$

$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für D50

in Buntheitsdiagramm ( $a^*$ ,  $b^*$ )

$XYZ_w=922.693, 908.142, 565.08$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$

$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2142$$

$$b_2 = -[1/Z_n]^{1/3} = -0.09976$$

$$n = P40$$

### CIELAB 76

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für P40

in Buntheitsdiagramm ( $a^*$ ,  $b^*$ )



$XYZ_w=1010.78, 909.03, 309.7$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2079$$

$$b_2 = -[1/Z_n]^{1/3} = -0.12205$$

$$n = A00$$



$XYZ_w=903.609, 907.361, 873.97$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2154$$

$$b_2 = -[1/Z_n]^{1/3} = -0.08617$$

$$n = E00$$



### CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$   $Y_d, \text{RECS}$

$G_d, \text{RECS}$   $C_d, \text{RECS}$

$B_d, \text{RECS}$   $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w = 88,6$

des offset-Farbenraums für E00

in Buntheitsdiagramm ( $a^*, b^*$ )

$XYZ_w=878.194, 906.929, 1016.81$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2174$$

$$b_2 = -[1/Z_n]^{1/3} = -0.08198$$

$$n = C00$$



### CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$        $Y_d, \text{RECS}$

$G_d, \text{RECS}$        $C_d, \text{RECS}$

$B_d, \text{RECS}$        $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für C00

in Buntheitsdiagramm ( $a^*, b^*$ )

$XYZ_w=926.951, 907.82, 710.87$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2137$$

$$b_2 = -[1/Z_n]^{1/3} = -0.09235$$

$$n = P00$$



### CIELAB 76

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$

$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des offset-Farbenraums für P00

in Buntheitsdiagramm ( $a^*, b^*$ )

$XYZ_w=880.693, 906.911, 1034.1$

$$a^* = 500 (a' - a'_{n}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n}) Y^{1/3}$$


$$a = a_2 [x/y]^{1/3}$$

$$b = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_n]^{1/3} = 0.2171$$

$$b_2 = -[1/Z_n]^{1/3} = -0.08145$$

$$n = Q00$$



## CIELAB 76

Name der Gerütefarbe

$R_d, \text{RECS}$   $Y_d, \text{RECS}$

$G_d, \text{RECS}$   $C_d, \text{RECS}$

$B_d, \text{RECS}$   $M_d, \text{RECS}$

Geräte- & Elementarfärbungen,  $Y_w=88,6$

des *offset*-Farbenraums für Q00

in Buntheitsdiagramm ( $a^*, b^*$ )