

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 26s Y 6,3cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=236.5$$


$$A_2=4.75$$

$$A_3=0.42=t$$

$$A_6=483.2$$

$$A_7=37.75$$

$$\Delta=5.64$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 26s Y 6,3cd/m²; hyp2

$$\log(L/\Delta L) = A_1 + A_2 \cdot t + A_3 \cdot L / (L^t + A_6)^2$$

$$A_1 = 236.5$$


$$A_2 = 4.75$$

$$A_3 = 0.42 \cdot t$$

$$A_6 = 483.2$$

$$A_7 = 37.75$$

$$\Delta = 5.64$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 26s Y 6,3cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 236.5$$


$$A_2 = 4.75$$

$$A_3 = 0.42 = t$$

$$A_6 = 483.2$$

$$A_7 = 37.75$$

$$\Delta = 5.64$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

● $L_g = 6,3 \text{ cd/m}^2$

02 26s Y 6,3cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 236.5$$

$$A_2 = 4.75$$

$$A_3 = 0.42 = t$$

$$A_6 = 483.2$$

$$A_7 = 37.75$$

$$\Delta = 5.64$$

